

Title : Screening of Actinobacteria from Vermicomposts for Their Plant Growth Properties

Author(s) : 1. Natnicha Jitthum

Student ID : 650510326

2.

Student ID :

3.

Student ID :

Major : Microbiology

Advisor(s) : 1. Lect. Dr. Pharada Rangseekeaw

2.

3.

Type of presentation* (choose 1) : Oral Presentation (เฉพาะ ตัวแทนศ.ที่สาขาเลือกให้นำเสนอแบบบรรยาย)
 Poster (กรณี นำเสนอผลงานปัญหาพิเศษ/การค้นคว้าอิสระ)
 Cooperative Education (กรณี นำเสนอผลงานสหกิจศึกษา)

ABSTRACT

Vermicompost, a product of organic waste decomposition mediated by earthworms and associated microorganisms, is a highly valued organic fertilizer due to its rich nutrient content and beneficial microbial communities. Among these, actinobacteria are widely distributed and recognized for their plant growth-promoting (PGP) potential. Therefore, this study aimed to isolate actinobacteria from commercial vermicompost and evaluate their plant growth-promoting properties. Two commercial vermicompost products were chosen for isolation using three selective media —starch casein agar, glycerol arginine agar, and humic acid vitamin agar, supplemented with nystatin and nalidixic acid. A total of 17 isolates were obtained from Panya farm (11 isolates) and JB farm (6 isolates), which were classified into six groups based on substrate and aerial mycelium pigmentation. Representative isolate from each group were identified via 16S rRNA gene analysis. Subsequently, all actinobacterial isolates were screened for plant growth-promoting (PGP) traits, specifically indole-3-acetic acid (IAA) and siderophore production. The results showed that all isolates produced phytohormone indole-3-acetic acid (IAA), with concentrations ranging from 1.47 ± 0.59 to $8.73 \pm 1.71 \mu\text{g mL}^{-1}$. Furthermore, six isolates produced siderophores on Chrome Azurol S (CAS) agar. Quantitative analysis identified two siderophore types: catecholate-type (2.98 ± 2.13 to 67.44

*Type of presentation must be matched with an option you choosing on student upload system.

**The abstract can be more than one page and must be approved by project advisor before upload.

$\pm 4.00 \mu\text{mol L}^{-1}$) and hydroxamate-type (95.58 ± 21.31 to $731.33 \pm 200.56 \mu\text{mol L}^{-1}$). These findings demonstrate that commercial vermicompost is a promising reservoir of plant growth-promoting actinobacteria with significant potential for sustainable agricultural applications.

Keywords: Actinobacteria, Plant growth promoting bacteria, Vermicompost

Title name guide.

ADVISOR title name / แปลไทย	
Professor Dr.	ศาสตราจารย์ ดร.
Professor	ศาสตราจารย์
Associate Professor Dr.	รองศาสตราจารย์ ดร.
Associate Professor	รองศาสตราจารย์
Assistant Professor Dr.	ผู้ช่วยศาสตราจารย์ ดร.
Assistant Professor	ผู้ช่วยศาสตราจารย์
Dr.	ดร.
Lecturer	อาจารย์
Mrs.	นาง
Ms.	นางสาว
Mr.	นาย

Major name guide.

SCIENCE MAJOR name / แปล	
Biology	ชีววิทยา
Microbiology	จุลชีววิทยา
Zoology	สัตววิทยา
Biochemistry and Biochemical Technology or Biochemistry and Biochemical Innovation	ชีวเคมีและชีวเคมีเทคโนโลยี หรือ ชีวเคมีและชีวเคมีนวัตกรรม
Chemistry	เคมี
Industrial Chemistry	เคมีอุตสาหกรรม
Materials Science	วัสดุศาสตร์
Physics	ฟิสิกส์
Computer Science	วิทยาการคอมพิวเตอร์
Data Science	วิทยาการข้อมูล
Mathematics	คณิตศาสตร์
Statistics	สถิติ

**Type of presentation must be matched with an option you choosing on student upload system.*

***The abstract can be more than one page and must be approved by project advisor before upload.*

Gemology	อัญมณีวิทยา
Geology	ธรณีวิทยา
Environmental Science	วิทยาศาสตร์สิ่งแวดล้อม

**Type of presentation must be matched with an option you choosing on student upload system.*

***The abstract can be more than one page and must be approved by project advisor before upload.*